

Geberit Mepla Product Catalog



07/2001

Geberit Mepla potable
hot and cold water
supply system

Pipe - Fittings - Tools

Fittings in PVDF and brass

■ GEBERIT®

Advanced plumbing technology

Geberit Mepla, Technical Specifications

Geberit Mepla Pipes

Product Definition

Geberit Mepla is a potable hot and cold water supply system with a triple layered metal/plastic pipe complying to ASTM F 1986, NSF 14, NSF 61 ISO, DIN 16893

Structure of the Geberit Mepla / Pipe

1. Internal pipe made from interlaced PE-Xb pipe
2. Edge to edge laser welded aluminum pipe
3. Protective layer of HDPE



All layers are bonded with adhesive ensuring a strong flexible pipe.

Properties

- No internal or external corrosion
- No oxygen diffusion weather and aging
- Lightweight and simple to use (can be bent easily)
- Ideal pipe joint (compression joint without nipples)
- No soldering
- No special protection required against UV radiation if stored
- Internal pipe protected by the protective tube
- Inherently stable
- Waste materials can be separated and recycled (PE, aluminum)

Properties of the Mepla compression joint fitting

- Resistant to corrosion
- No dezincification due to the effect of moisture
- Press-in profile protected by a cap prior to installation

The Mepla compression joint

- The Geberit Mepla joint is a permanent radial compression joint licensed for use in all types of concealed installation.

Properties of the Mepla compression

- Clean, secure connection
- Clear positioning of the pressing jaws
- High durability under long-period stressing
- Insertion depth can be checked at any time

Order Information:

Pipes:

Pipes are ordered by feet. Orders will be sold by complete rolls (164 ft) or rods (16.4 ft) only. Each order may be adjusted to complete the order.

Fittings:

Fittings are ordered and sold by single pieces.


Sealing set for Mepla fitting:

Sealing sets are ordered by single pieces. Orders will be sold only by sets of 10. Each order may be adjusted to complete the order.

Tool testing device:


Tool testing devices are ordered by single pieces. Orders will be sold only by sets of 10. Each order may be adjusted to complete the order.

Geberit Mepla, Black Pipes, Brass Fittings




Mepla lined metal pipe, black, in 16.4 ft (5 m) rods

DN	d	di	LR	s	Part #
1/2	0.630	0.453	16.4 ft	0.089	601.100.00.1
5/8	0.787	0.591	16.4 ft	0.098	602.100.00.1
3/4	1.024	0.787	16.4 ft	0.118	603.100.00.1
1	1.260	1.024	16.4 ft	0.118	604.100.00.1
1 1/4	1.575	1.299	16.4 ft	0.138	605.100.00.1
1 1/2	1.969	1.654	16.4 ft	0.157	606.100.00.1
2	2.480	2.126	16.4 ft	0.177	607.100.00.1



Mepla lined metal pipe, black, in 164 ft (50 m) rolls


DN	d	di	LR	s	Part #
1/2	0.630	0.453	164.0 ft	0.089	601.110.00.1
5/8	0.787	0.591	164.0 ft	0.098	602.110.00.1
3/4	1.024	0.787	164.0 ft	0.118	603.110.00.1



Faucet connection elbow surface-mounted (Drop ear)


(Brass)

DN	d	Rp	L	L1	l	l1	Z	Part #
1/2	0.630	1/2	1.969	1.417	0.709	0.512	0.984	661.289.00.1
5/8	0.787	1/2	2.165	1.417	0.709	0.512	1.063	662.289.00.1
5/8	0.787	3/4	2.165	1.732	0.709	0.866	1.024	662.290.00.1
3/4	1.024	3/4	2.323	1.732	0.827	0.866	1.024	663.290.00.1




T-section with female thread

(Brass)




DN	d	Rp	d1	L	L1	Z	Z	Part #
5/8	0.787	1/2	0.787	4.055	0.945	0.945	0.433	612.360.00.1
3/4	1.024	1/2	1.024	4.409	1.024	0.945	0.512	613.360.00.1
3/4	1.024	3/4	1.024	4.646	1.102	1.063	0.551	613.362.00.1

Geberit Mepla, Fittings in PVDF




Bend 45°

(PVDF)				
DN	d	L	Z	Part #
3/4	1.024	1.890	0.630	623.245.00.1
1	1.260	2.165	0.709	624.245.00.1
1 1/4	1.575	2.560	0.866	625.245.00.1
1 1/2	1.969	2.913	0.984	626.245.00.1
2	2.480	3.740	1.102	627.245.00.1



Elbow 90°


(PVDF)				
DN	d	L	Z	Part #
1/2	0.630	1.732	0.709	621.271.00.1
5/8	0.787	1.881	0.748	622.271.00.1
3/4	1.024	2.165	0.906	623.271.00.1
1	1.260	2.520	1.063	624.271.00.1
1 1/4	1.575	3.110	1.417	625.271.00.1
1 1/2	1.969	3.583	1.654	626.271.00.1
2	2.480	4.724	2.087	627.271.00.1



T-piece, equal

(PVDF)					
DN	d	L	L1	Z	Part #
1/2	0.630	3.780	1.890	0.866	621.310.00.1
5/8	0.787	1.565	2.008	0.866	622.310.00.1
3/4	1.024	4.331	2.165	0.906	623.310.00.1
1	1.260	5.040	2.520	1.063	624.310.00.1
1 1/4	1.575	6.181	3.110	1.417	625.310.00.1
1 1/2	1.969	7.165	3.583	1.654	626.310.00.1
2	2.480	9.449	4.724	2.087	627.310.00.1


Geberit Mepla, Fittings in PVDF



T-piece, reduced



DN	d	d1	d2	L	L1	Z	Z1	(PVDF) Part #
1/2 - 1/2 - 5/8	0.630	0.630	0.787	3.780	2.008	0.866	0.866	622.313.00.1
5/8 - 1/2 - 1/2	0.787	0.630	0.630	3.898	1.890	0.866	0.866	622.314.00.1
5/8 - 5/8 - 1/2	0.787	0.787	0.630	3.976	1.890	0.866	0.866	622.311.00.1
5/8 - 1/2 - 5/8	0.787	0.630	0.787	3.898	2.008	0.866	0.866	622.312.00.1
5/8 - 5/8 - 3/4	0.787	0.787	1.024	4.449	2.165	1.102	0.866	623.318.00.1
3/4 - 3/4 - 1/2	1.024	1.024	0.630	3.937	2.047	0.669	1.024	623.311.00.1
3/4 - 5/8 - 5/8	1.024	0.787	0.787	4.291	2.244	0.866	1.102	623.317.00.1
3/4 - 3/4 - 5/8	1.024	1.024	0.787	4.331	2.244	0.866	1.102	623.315.00.1
3/4 - 5/8 - 3/4	1.024	0.787	1.024	4.528	2.283	0.984	0.984	623.316.00.1
3/4 - 3/4 - 1	1.024	1.024	1.260	4.646	2.406	1.063	0.945	624.320.00.1
1 - 1 - 1/2	1.260	1.260	0.630	4.567	2.165	0.787	1.141	624.311.00.1
1 - 3/4 - 5/8	1.260	1.260	0.787	4.528	2.362	0.866	1.220	624.314.00.1
1 - 1 - 5/8	1.260	1.260	0.787	4.567	2.362	0.787	1.220	624.317.00.1
1 - 5/8 - 3/4	1.260	0.787	1.024	4.724	2.402	0.984	1.102	624.315.00.1
1 - 3/4 - 3/4	1.260	1.024	1.024	4.606	2.323	0.945	1.063	624.316.00.1
1 - 1 - 3/4	1.260	1.260	1.024	4.803	2.323	0.945	1.063	624.319.00.1
1 - 1 - 1 1/4	1.260	1.260	1.575	5.630	2.913	1.378	1.220	625.322.00.1
1 1/4 - 1 1/4 - 5/8	1.575	1.575	0.787	5.197	2.520	0.866	1.378	625.317.00.1
1 1/4 - 1 1/4 - 3/4	1.575	1.575	1.024	5.433	2.480	0.984	1.220	625.319.00.1
1 1/4 - 1 1/4 - 1	1.575	1.575	1.260	5.787	2.835	1.220	1.378	625.321.00.1
1 1/2 - 1 1/2 - 3/4	1.969	1.969	1.024	6.063	2.874	1.063	1.575	626.317.00.1
1 1/2 - 1 1/2 - 1	1.969	1.969	1.260	6.299	3.071	1.220	1.614	626.319.00.1
1 1/2 - 1 1/4 - 1 1/4	1.969	1.575	1.575	6.457	3.346	1.417	1.654	626.320.00.1
1 1/2 - 1 1/2 - 1 1/4	1.969	1.969	1.575	6.693	3.346	1.378	1.654	626.321.00.1
2 - 2 - 3/4	2.480	2.480	1.024	7.559	3.228	1.142	1.969	627.316.00.1
2 - 2 - 1	2.480	2.480	1.260	7.795	3.504	1.260	2.047	627.320.00.1
2 - 2 - 1 1/4	2.480	2.480	1.575	8.189	3.740	1.457	2.047	627.321.00.1
2 - 2 - 1 1/2	2.480	2.480	1.969	8.661	4.016	1.693	2.087	627.322.00.1

Geberit Mepla, Fittings in PVDF



Coupling



DN	d	L	Z	(PVDF) Part #
1/2	0.630	2.677	0.630	621.505.00.1
5/8	0.787	2.874	0.630	622.505.00.1
3/4	1.024	3.110	0.551	623.505.00.1
1	1.260	3.543	0.591	624.505.00.1
1 1/4	1.575	4.094	0.669	625.505.00.1
1 1/2	1.969	4.606	0.709	626.505.00.1
2	2.480	6.142	0.866	627.505.00.1



Reducer



DN	d	d1	L	Z	(PVDF) Part #
5/8 - 1/2	0.787	0.630	2.795	0.630	622.650.00.1
3/4 - 1/2	1.024	0.630	2.953	0.630	623.650.00.1
3/4 - 5/8	1.024	0.787	3.071	0.630	623.651.00.1
1 - 1/2	1.260	0.630	3.150	0.630	624.650.00.1
1 - 5/8	1.260	0.787	3.346	0.709	624.651.00.1
1 - 3/4	1.260	1.024	3.346	0.630	624.652.00.1
1 1/4 - 5/8	1.575	0.787	3.543	0.709	625.651.00.1
1 1/4 - 3/4	1.575	1.024	3.583	0.630	625.652.00.1
1 1/4 - 1	1.575	1.260	3.543	0.669	625.653.00.1
1 1/2 - 1	1.969	1.260	4.055	0.669	626.652.00.1
1 1/2 - 1 1/4	1.969	1.575	4.528	0.709	626.653.00.1
2 - 1 1/4	2.480	1.575	5.157	0.748	627.653.00.1
2 - 1 1/2	2.480	1.969	5.394	0.748	627.654.00.1

Geberit Mepla, Fittings in Brass and Copper





Adapter with male thread

DN	d	R	H	L	(Brass) Part #
1/2	0.630	1/2	1.142	2.126	661.535.00.1
5/8	0.787	1/2	1.181	2.244	662.535.00.1
5/8	0.787	3/4	1.220	2.322	662.536.00.1
3/4	1.024	1/2	1.220	2.480	663.535.00.1
3/4	1.024	3/4	1.260	2.520	663.536.00.1
3/4	1.024	1	1.378	2.638	663.537.00.1
1	1.260	1	1.378	2.520	664.537.00.1
1 1/4	1.575	1 1/4	1.575	2.913	665.538.00.1
1 1/2	1.989	1 1/2	1.732	3.150	666.537.00.1
2	2.480	2	1.929	4.606	667.539.00.1



Adapter with female thread


DN	d	Rp	L	Z	(Brass) Part #
1/2	0.630	1/2	2.205	0.709	661.555.00.1
5/8	0.787	1/2	2.323	0.709	662.555.00.1
5/8	0.787	3/4	2.402	0.748	662.556.00.1
3/4	1.024	3/4	2.598	0.748	663.556.00.1
3/4	1.024	1	2.795	0.866	663.557.00.1
1	1.260	1	2.638	0.866	664.557.00.1



Mepla stub-out

DN	d	ø	Rp	L	L1	z	(Brass) Part #
1/2-1/2	0.630	0.630	1/2	4.89	8.00	3.86	661.291.00.1


Geberit Mepla, Accessories



Mepla dead end


(Brass)

DN	d	L	Part #
1/2	0.630	0.984	661.000.00.1
5/8	0.788	1.063	662.000.00.1
3/4	1.024	1.497	663.000.00.1



Insulation tape for wet/aggressive areas

B	L	s	Part #
1.181	49.212 ft	0.039	601.810.00.1



Sealing set for Mepla fitting comprising:


1 PE-LD washer and 1 O-ring made of EPDM

DN	d	Part #
1/2	0.630	601.910.00.1
5/8	0.788	602.910.00.1
3/4	1.024	603.910.00.1
1	1.261	604.910.00.1
1 1/4	1.576	605.910.00.1
1 1/2	1.970	606.910.00.1
2	2.482	607.910.00.1

Note:

The PE-LD washer is not required with the PVDF fittings

Geberit Mepla, Tools




Mepla hand compression tool set in case

includes:

- case – 1/2 - 3/4
- Mepla hand compression tool – 1/2, 5/8 and 3/4
- Mepla pliers – 1/2 - 5/8
- Mepla pipe cutter – 1/2-1 1/2
- Mepla deburring and calibration – 1/2 - 3/4


d	Part #
1/2 - 3/4	690.486.00.2



Mepla compression tool ACO 1 in case

with battery and charger


voltage	plug	Part #
100-125 V	NEMA 1-15P	690.509.2P.1



Mepla compression tool set ACO 1 complete in case

with battery and charger

jaw	voltage	plug	Part #
1/2 - 1	100-125 V	NEMA 1-15P	690.519.2P.1



Mepla compression tool ACO 1


with battery

voltage	Part #
12 V	690.503.00.2



Battery charger


voltage	plug	Part #
110-125 V/12V	NEMA 1-15P	690.592.2P.1



Spare battery

voltage	Part #
12V	690.593.00.1

Geberit Mepla, Tools




Mepla compression jaw set, in case

includes:


- case – 1/2-1 1/2
- Mepla compression jaw – 1/2-1
- Mepla pipe cutter – 1/2-1 1/2
- Mepla deburring and calibration – 1/2-1 1/2

d	Part #
1/2 - 1	690.580.00.2




Mepla compression jaw set, in case

d	Part #
2	690.465.00.2




Mepla case for hand compression tool, empty

d	Part #
1/2 - 3/4	690.471.00.2



Mepla case for compression jaw set, empty


d	Part #
1/2 - 1 1/2	690.596.00.2
2	690.413.00.2



Mepla case for compression tool set, empty


d	Part #
	690.595.00.2

Geberit Mepla, Tools




Mepla hand compression tool

d	Part #
1/2	690.475.00.2
5/8	690.476.00.2




Mepla hand compression tool

d	Part #
3/4	690.474.00.2




Mepla compression jaw

d	Part #
1/2	690.450.00.1
5/8	690.451.00.1
3/4	690.452.00.1
1	690.453.00.1
1 1/4	690.454.00.1
1 1/2	690.455.00.1



Mepla tool adapter for compression nozzle

Part #
690.456.00.1



Mepla compression nozzle


d	Part #
2	690.457.00.2

Geberit Mepla, Tools




Mepla deburring and calibration tool

d	Part #
1/2 - 3/4	690.212.00.2




Mepla deburring and calibration tool

d	Part #
1/2 - 1 1/2	690.211.00.2




Mepla deburring and calibration tool

d	Part #
2	690.213.00.2



Mepla pliers

d	Part #
1/2 - 5/8	690.131.00.2



Mepla pipe cutter

d	Part #
1/2 - 1 1/2	690.112.00.2
2	690.114.00.2

Note to pipe cutters

A spare cutting wheel is included in the rotary button.

Geberit Mepla, Tools Spare Parts



Replacement blade for Mepla pliers

690.131.00.2


d	Part #
1/2 - 5/8	690.931.00.1



Spare cutting wheel for Mepla pipe cutter


690.112.00.2 and 690.114.00.2

d	Part #
1/2 - 2	690.111.00.1




Grip set for hand compression tool

d	Part #
1/2	240.943.00.1
5/8	240.944.00.1



Grip set for hand compression tool

d	Part #
3/4	240.897.00.1




Tool testing device

Mepla power test for compression tool 1/2 - 3/4 and compression jaw 1/2 - 1 1/2


Part #
690.491.00.1

Geberit Mepla, Bending Tools




Mepla bending tool hydraulic, complete in case

d	Part #
1/2 - 1	690.412.00.2




Mepla case for bending tool, empty

Part #
690.900.00.2




Mepla bending tool without bow and die

Part #
690.901.00.2



Bow for Mepla bending tool

d	Part #
1/2	690.902.00.1
5/8	690.903.00.1
3/4	690.904.00.1
1	690.905.00.1



Bending die for Mepla bending tool

d	Part #
1/2	690.906.00.1
5/8	690.907.00.1
3/4	690.908.00.1
1	690.909.00.1

Index

<i>Part #</i>	<i>page</i>	<i>Part #</i>	<i>page</i>	<i>Part #</i>	<i>page</i>
240.897.00.1	11	624.310.00.1	2	663.000.00.1	6
240.943.00.1	11	624.311.00.1	2	663.290.00.1	1
240.944.00.1	11	624.314.00.1	3	663.535.00.1	5
601.100.00.1	1	624.315.00.1	3	663.536.00.1	5
601.110.00.1	1	624.316.00.1	3	663.537.00.1	5
601.810.00.1	6	624.317.00.1	3	663.556.00.1	5
601.910.00.1	6	624.319.00.1	3	663.557.00.1	5
602.100.00.1	1	624.320.00.1	3	664.537.00.1	5
602.110.00.1	1	624.505.00.1	4	664.557.00.1	5
602.910.00.1	6	624.650.00.1	4	665.538.00.1	5
603.100.00.1	1	624.651.00.1	4	666.537.00.1	5
603.110.00.1	1	624.652.00.1	4	667.539.00.1	5
603.910.00.1	6	625.245.00.1	2	690.111.00.1	11
604.100.00.1	1	625.271.00.1	2	690.112.00.2	10
604.910.00.1	6	625.310.00.1	2	690.114.00.2	10
605.100.00.1	1	625.317.00.1	3	690.131.00.2	10
605.910.00.1	6	625.319.00.1	3	690.211.00.2	11
606.100.00.1	1	625.321.00.1	3	690.212.00.2	10
606.910.00.1	6	625.322.00.1	3	690.213.00.2	10
607.100.00.1	1	625.505.00.1	4	690.412.00.2	12
607.910.00.1	6	625.651.00.1	4	690.413.00.2	8
612.360.00.1	1	625.652.00.1	4	690.450.00.1	9
613.360.00.1	1	625.653.00.1	4	690.451.00.1	9
613.362.00.1	1	626.245.00.1	2	690.452.00.1	9
621.271.00.1	2	626.271.00.1	2	690.453.00.1	9
621.310.00.1	2	626.310.00.1	2	690.454.00.1	9
621.505.00.1	4	626.317.00.1	3	690.455.00.1	9
622.271.00.1	2	626.319.00.1	3	690.456.00.1	9
622.310.00.1	2	626.320.00.1	3	690.457.00.2	9
622.311.00.1	3	626.321.00.1	3	690.465.00.2	8
622.312.00.1	3	626.505.00.1	4	690.471.00.2	8
622.313.00.1	3	626.652.00.1	4	690.474.00.2	9
622.314.00.1	3	626.653.00.1	4	690.475.00.2	9
622.505.00.1	4	627.245.00.1	2	690.476.00.2	9
622.650.00.1	4	627.271.00.1	2	690.486.00.2	7
623.245.00.1	2	627.310.00.1	2	690.491.00.1	11
623.271.00.1	2	627.316.00.1	3	690.503.00.2	7
623.310.00.1	2	627.320.00.1	3	690.509.2P.1	7
623.311.00.1	3	627.321.00.1	3	690.519.2P.1	7
623.315.00.1	3	627.322.00.1	3	690.580.00.2	8
623.316.00.1	3	627.505.00.1	4	690.592.2P.1	7
623.317.00.1	3	627.653.00.1	4	690.593.00.1	7
623.318.00.1	3	627.654.00.1	4	690.595.00.2	8
623.505.00.1	4	661.000.00.1	6	690.596.00.2	8
623.650.00.1	4	661.289.00.1	1	690.900.00.2	12
623.651.00.1	4	661.291.00.1	5	690.901.00.2	12
624.245.00.1	2	661.535.00.1	5	690.902.00.1	12
624.271.00.1	2	661.555.00.1	5	690.903.00.1	12
		662.000.00.1	5	690.904.00.1	12
		662.289.00.1	1	690.905.00.1	12
		662.290.00.1	1	690.906.00.1	12
		662.535.00.1	5	690.907.00.1	12
		662.536.00.1	5	690.908.00.1	12
		662.555.00.1	5	690.909.00.1	12
		662.556.00.1	5	690.931.00.1	11

Geberit Mepla, Technical Specifications, Standards

Pipe nominal diameter in inches di x s	1/2 x 0.089	5/8 x 0.098	3/4 x 0.118	1 x 0.118	1 1/4 x 0.138	1 1/2 x 0.157	2 x 0.177
External diameter d	0.630 in	0.787 in	1.024 in	1.260 in	1.575 in	1.969 in	2.480 in
Internal diameter di	0.453 in	0.591 in	0.787 in	1.024 in	1.299 in	1.654 in	2.126 in
Length per roll	164.0 ft	164.0 ft	164.0 ft	–	–	–	–
Length per rod	16.4 ft	16.4 ft	16.4 ft	16.4 ft	16.4 ft	16.4 ft	16.4 ft
Diameter per roll	31.4 in	31.4 in	43.3 in	–	–	–	–
Weight per ft pipe	0.09 lb	0.12 lb	0.20 lb	0.28 lb	0.40 lb	0.56 lb	0.74 lb
Weight per ft pipe with water at 50°F	0.16 lb	0.24 lb	0.41 lb	0.64 lb	0.97 lb	1.50 lb	2.28 lb
Water volume gal/ft	0.008	0.014	0.025	0.043	0.069	0.112	0.184
Surface roughness, internal pipe	0.00028 in	0.00028 in	0.00028 in	0.00028 in	0.00028 in	0.00028 in	0.00028 in
Thermal conductivity W/(ft · °F)	0.07283	0.07283	0.07283	0.07283	0.07283	0.07283	0.07283
Coefficient of thermal expansion in/(ft · °F)	0.1733·10 ⁻³	0.1733·10 ⁻³	0.1733·10 ⁻³	0.1733·10 ⁻³	0.1733·10 ⁻³	0.1733·10 ⁻³	0.1733·10 ⁻³
Operating temperature/flowing water	32/180 °F	32/180 °F	32/180 °F	32/180 °F	32/180 °F	32/180 °F	32/180 °F
Permitted operating pressure	145 psi	145 psi	145 psi	145 psi	145 psi	145 psi	145 psi
Minimum bending radius with bending pliers	2.28 in	2.76 in	3.66 in	4.57 in	6.30 in	7.87 in	–

ASTM F 1986



The pressure rating at 180°F is 145 psi. Geberit Mepla: proven technology for a faster, easier and more reliable installation.

ISO-Standard 9001

ISO-Standard 14001

European Quality Certificate ISO 9001

For its manufacturing plants in Europe, Geberit has received the highest quality system certification available, issued by the Swiss EQ-Net member SQS for compliance with the **ISO 9000/EN29000** series, which corresponds to BSI 5750. EQ-Net members are in all countries throughout Europe, including BSI QA United Kingdom.



This product is sold with a Limited Lifetime Warranty in lieu of all implied warranties, the details of said Limited Lifetime Warranty to accompany all product delivery.

The features of Geberit Mepla

- fast and easy to install
- complete range of pipes and fittings
- no soldering, brazing, thread cutting
- corrosion resistant
- 145 psi at 180°F
- simple prefabrication
- combines advantages of metal and plastic pipes

Distributed by: **Pacific Pipe and Pump**

18760 Ridgefield Road NW, Shoreline, WA 98177

Phone (206) 542-6372 Fax (206) 542-0532

www.pacificpipeandpump.com

E-mail: nilspdragoy@comcast.net

■ GEBERIT®

Advanced plumbing technology